




## DROPIN SINK DIMENSIONS [IMPERIAL & METRIC]

MODEL	OUTLET	WEIGHT	LENGTH	WIDTH	DEPTH	X-OUTLET	Y-OUTLET	WEIGHT	LENGTH	WIDTH	DEPTH	X-OUTLET	Y-OUTLET
Number	Placement	[lbs]	[inches]	[inches]	[inches]	[inches]	[inches]	[kg]	[mm]	[mm]	[mm]	[mm]	[mm]
D01C	Center	9	9	6	5.8	4.5	3	4.1	229	152	147	114	76
D03C	Center	16	12	8	5.8	6	4	7.3	305	203	147	152	102
A05	Corner	18	14	10	5	3.5	3.5	8.2	356	254	127	89	89
D05	Corner	24	14	10	6.25	3.5	3.5	10.9	356	254	159	89	89
D05C	Center	24	14	10	6.25	7	5	10.9	356	254	159	178	127
D06C	Center	34	12	12	12	6	6	15.4	305	305	152	152	152
A07	Corner	24	14	14	5	3.5	3.5	10.9	356	356	397	89	89
D08	Corner	25	15	8	6	3.5	3.5	11.3	381	203	152	89	89
D10E	End	22	16	8	6.75	4.5	4	10.0	406	203	171	114	102
D10C	Center	22	16	8	6.75	8	4	10.0	406	203	171	203	102
D15	Corner	30	16	12	8	3.5	3.5	13.6	406	305	203	89	89
D15C	Center	31	16	12	8	8	6	14.1	406	305	203	203	152
D19	Corner	42	16	16	9.56	3.5	3.5	19.1	406	406	244	89	89
D20	Corner	32	16	16	7.5	3.5	3.5	14.5	406	406	191	89	89
D21	Corner	58	16	16	15	3.5	3.5	26.3	406	406	381	89	89
D22C	Center	20	18	6.5	6	9	3.25	9.1	457	165	152	229	57
D24C	Center	30	18	14	10.5	9	6.825	13.6	457	356	267	229	173
A25	Corner	35	18	15	5	3.5	3.5	15.9	457	381	127	89	89
A25M	Corner	30	18	15	2.375	3.5	3.5	13.6	457	381	61	89	89
D25	Corner	39	18	15	7.88	3.5	3.5	17.7	457	381	73	89	89
A26	Corner	39	18	15	5.00 / 11.00	4.5	4.5	17.7	457	381	127 / 279	114	114
D30	Corner	41	18	15	10.75	3.5	3.5	18.6	457	381	273	89	89
D30C	Center	50	18	15	10.75	9	7.5	22.7	457	381	273	229	191
D30D	Corner	110	37.5	15	10.75	3.5	3.5	49.9	953	381	273	89	89
D32	Corner	49	18	15	15.13	3.5	3.5	22.2	457	381	384	89	89
D33	Corner	59	21	17	9.75	3.81	3.81	26.8	533	432	235	97	97
D33E	End	59	21	17	9.75	4.5	8.5	26.8	533	432	235	114	216
D45	Corner	61	21.5	15.5	11	4.75	4.75	27.7	546	394	279	121	121
D50	Corner	54	24	16	8.25	3.5	3.5	24.5	610	406	210	89	89
D50C	Center	54	24	16	8	12	8	24.5	610	406	203	305	203
D51	Corner	60	24	16	9.62	3.5	3.5	27.2	610	406	244	89	89
D52	Corner	77	24	18	11	3.5	3.5	34.9	610	457	279	89	89
D54	Corner	45	25	15	8	3.5	3.5	20.4	635	381	203	89	89
A55	Corner	51	25	15	4.75	3.5	3.5	23.1	635	381	121	89	89
D55	Corner	45	25	15	10	3.5	3.5	20.4	635	381	254	89	89
A56	Corner	72	25	15	5.00 / 11.00	4.5	4.5	32.7	635	381	127 / 279	114	114
D57	Corner	71	25	15	13.62	3.5	3.5	32.2	635	381	346	89	89
D58	Corner	79	25	15	17.75	3.5	3.5	35.8	635	381	451	89	89
D59	Corner	50	28	15	11.75	3.5	3.5	22.7	711	381	298	89	89
D61	Corner	94	30	16	17.75	4.5	4.5	42.6	762	406	451	114	114
D65C	Center	98	35.5	19.5	9.75	17.75	9.75	44.5	902	495	249	453	250
D68E	End	120	30	16	10	4.75	8	54.4	762	406	254	121	203
D70C	Center	77	24	16	15.5	12	8	34.9	610	406	394	305	203
D78C	Center	94	36	18	12	18	9	42.6	914	457	305	457	229
DRS10	Center	14	10	Diameter	7.75	Center		6.4	254	Diameter	197	Center	
DRS12	Center	18	12	Diameter	7.75	Center		8.2	305	Diameter	197	Center	
DH20C	Center	65	30	26	7	14.77	14	29.5	762	660	178	375	356

= ADA Compliant

**Popular sink models**



**NOTES** .....

.....

.....

## UNDERMOUNT SINK DIMENSIONS [IMPERIAL & METRIC]

MODEL Number	OUTLET Placement	WEIGHT [lbs]	LENGTH [inches]	WIDTH [inches]	DEPTH [inches]	X-OUTLET [inches]	Y-OUTLET [inches]	WEIGHT [kg]	LENGTH [mm]	WIDTH [mm]	DEPTH [mm]	X-OUTLET [mm]	Y-OUTLET [mm]
U03C	Center	17	12	8	6	6	4	7.7	305	203	152	152	102
U05C	Center	22	14	10	6	7	5	10.0	356	254	152	178	127
U08C	Center	25	12	12	8	6	6	11.3	305	305	203	152	152
U10E	End	22	16	8	7	3.5	3.5	10.0	406	203	178	89	89
U15C	Center	34	16	12	8	8	6	15.4	406	305	203	203	152
U15E	End	34	16	12	8	4.5	6	15.4	406	305	203	114	152
U20	Corner	39	16	16	7.5	4	12	17.7	406	406	191	102	305
U23C	Center	54	16	16	12	8	8	24.5	406	406	305	203	203
U24C	Center	38	18	14	10.5	9	7	17.2	457	356	267	229	178
U25	Corner	40	18	15	8	3.5	3.5	18.1	457	381	203	89	89
U30	Corner	49	18	15	11	3.5	3.5	22.2	457	381	279	89	89
U30C	Center	49	18	15	11	9	7.5	22.2	457	381	279	229	191
U33C	Center	64	21	17	10	10.5	8.5	29.0	533	432	254	267	216
U33E	End	64	21	17	10	4.5	8.6	29.0	533	432	254	114	219
U35E	End	61	21	18	10	4.5	9	27.7	533	457	254	114	229
U40	Corner	47	21.3	15.5	7	4	4	21.3	541	394	178	102	102
U45	Corner	64	21.5	15.5	11	4	4	29.0	546	394	279	102	102
U49	Corner	68	22	14.5	10.6	4	3.5	30.8	559	368	270	102	89
U50C	Center	54	24	16	8	12	8	24.5	610	406	203	305	203
U50E	End	54	24	16	8	4	8	24.5	610	406	203	102	203
U51E	End	59	24	16	10	4.5	8	26.8	610	406	254	114	203
U52E	End	77	23.6	17.6	10.75	4	9	34.9	600	448	273	102	229
U53E	End	85	24.4	18.4	16.75	4.25	10.5	38.6	621	468	425	184	267
U54	Corner	95	23	21	19.1	6.5	16	43.1	584	533	486	165	406
U55	Corner	60	25	15	10	3.5	3.5	27.2	635	381	254	89	89
U56C	Center	76	24	16	12	12	8	34.5	610	406	305	305	203
U59E	End	65	28	15	12	11.5	7.5	29.5	711	381	305	292	191
U60E	End	83	28	20	8.75	14	6.56	37.6	711	508	222	356	167
U61C	Center	141	30	18	18	9	15	64.0	762	457	457	229	381
U63E	End	75	31	17	10	4	8.5	34.0	787	432	254	102	216
U64C	Center	95	31.25	21.25	12	15.5	10.5	43.1	794	540	305	385	267
U65C	Center	100	35.5	19.6	10	9.8	17.8	45.4	902	497	254	250	453
U67C	Center	118	36	20	16	10	18	53.5	914	508	406	254	457
U71C	Center	108	43	15	11	7.5	21.5	49.0	1092	381	279	191	546
U72C	Center	179	43.3	15.3	16	7.7	21.7	81.2	1100	389	406	196	551
U73	Corner	150	38	21	19.1	15.8	5.25	68.0	965	533	485	402	133
U75C	Center	126	42	20	10	10	21	57.2	1067	508	254	254	533

Popular sink models

### NOTES

.....

.....

.....

.....

.....

.....

.....

.....

## CUPSINK DIMENSIONS [IMPERIAL & METRIC]

MODEL Number	OUTLET Placement	LENGTH [inches]	WIDTH [inches]	DEPTH [inches]	EXT HEIGHT [inches]	LENGTH [mm]	WIDTH [mm]	DEPTH [mm]	EXT HEIGHT [mm]
TS04	Oval	5.63	2.63	3.75	8.31	143	67	95	211
TS05	Oval	5.7	2.8	3.7	9.1	145	71	94	231
TS07	Round	6	6	6	11.4	152	152	152	290
TS09	Round	8	8	6	9.5	203	203	152	241
TS12	Oval	8.88	2.63	5.75	10	225	67	146	254
TS15	Oval	10.88	3	5.25	9.63	276	76	133	244
TS18	Rectangle	13.56	4.38	5.83	9.93	344	111	148	252
CS4R*	Oval	6.3	3.1	4	8.1	160	79	102	206

\*Polypropylene - Black, Gray, Alpine White

## POLYPROPYLENE PARTS DIMENSIONS [IMPERIAL & METRIC]

MODEL Number	WEIGHT [lbs]	LENGTH [inches]	INSIDE DIAMETER [in]	OUTSIDE DIAMETER [in]	WEIGHT [kg]	LENGTH [mm]	INSIDE DIAMETER [mm]	OUTSIDE DIAMETER [mm]
PS03	0.5	2.5	1.5	3.375	0.2	64	38	86
POE	0.5	4, 6, 8	1	1.5	0.2	102, 152, 203	25	38
PBH	0.5	4, 6, 8	1	1.5	0.2	102, 152, 203	25	38

## TROUGH DIMENSIONS [IMPERIAL]

MODEL Number	OUTLET Placement	WEIGHT [lbs]	LENGTH [inches]	WIDTH [inches]	DEPTH 1 [inches]	DEPTH 2 [inches]	X-OUTLET [inches]	Y-OUTLET [inches]
T2-1	As Required	48	72	3.9	3.8	4.5	-	-
T2-2	As Required	48	72	3.9	3.1	3.8	-	-
T1-1	As Required	48	72	6.6	3.8	4.5	-	-
T1-2	As Required	48	72	6.6	3	3.8	-	-
T1-3	As Required	48	72	6.6	2.3	3	-	-
DT36	Off-Center	29	34.5	6.4	-	3.6	13.4	3.2
DT48	Off-Center	39	46.6	6.4	-	3.5	19.4	3.2

Side View



Top View



## TROUGH DIMENSIONS [METRIC]

MODEL Number	OUTLET Placement	WEIGHT [kg]	LENGTH [mm]	WIDTH [mm]	DEPTH 1 [mm]	DEPTH 2 [mm]	X-OUTLET [mm]	Y-OUTLET [mm]
T2-1	As Required	21.8	1829	99	97	114	-	-
T2-2	As Required	21.8	1829	99	79	97	-	-
T1-1	As Required	21.8	1829	168	97	114	-	-
T1-2	As Required	21.8	1829	168	76	97	-	-
T1-3	As Required	21.8	1829	168	58	76	-	-
DT36	Off-Center	13.2	876	163	-	91	340	81
DT48	Off-Center	17.7	1184	163	-	89	493	81

### NOTES

.....

.....

.....

.....



## END & WALL MOUNT SINK DIMENSIONS [IMPERIAL & METRIC]

MODEL Number	OUTLET Placement	WEIGHT [lbs]	LENGTH [inches]	WIDTH [inches]	DEPTH [inches]	HEIGHT [backsplash]	WEIGHT [kg]	LENGTH [mm]	WIDTH [mm]	DEPTH [mm]	HEIGHT [backsplash]
E46	Front	70	22	13.63	12.63	3.8	31.8	559	346	321	97
E47	Front	73	22	13.63	12.63	5.8	33.1	559	346	321	147
E48	Front	50	22	13.63	12.63	0.0	22.7	559	346	321	0
W08C	Center	46	14.62	14.65	11.88	4.31	20.9	448	372	289	186

## SINK OUTLET & ACCESSORIES DIMENSIONS [IMPERIAL & METRIC]

MODEL Number	MATERIAL Product	DESCRIPTION	INSIDE DIAMETER [in]	OUTSIDE DIAMETER [in]	LENGTH [inches]	INSIDE DIAMETER [mm]	OUTSIDE DIAMETER [mm]	LENGTH [mm]	COLORS available
S03-R	Polypropylene	Sink Outlet*	1.4	3.3	3	36	84	76	Black, Gray, Alpine White
USS2	Polypropylene	Sink Stopper	-	1.4	-	-	36	-	Black
U-OE	Polypropylene	Open End Overflow	-	1.4	4,6,8,10	-	36	102, 152, 203, 254	Black
O.E.S.	Polypropylene	U-OE Strainer Cap	-	1.4	-	-	36	-	Black
S03	Epoxy Resin	Sink Outlet*	1.4	3.3	3	36	84	76	All except Black

\*Plastic disc strainer included



## FIELD ACCESSORIES

SKU Number	PRODUCT Name	PRODUCT Description
SPLY-INSTALLKIT-SMALL	Installation Kit - Small	Empty Tubes (2), Pad (1), Beefcloths (25)
SPLY-INSTALLKIT-MEDIUM	Installation Kit - Medium	Empty Tubes (4), Pads (2), Beefcloths (50)
SPLY-INSTALLKIT-LARGE	Installation Kit - Large	Empty Tubes (8), Pads (2), Beefcloths (100)
CALK-055-101	Color Matched Caulk, 5.5 oz	Black Onyx worksurface matching caulk
CALK-105-101	Color Matched Caulk, 10.5 oz	Black Onyx worksurface matching caulk
CALK-055-111	Color Matched Caulk, 5.5 oz	Graphite worksurface matching caulk
CALK-105-111	Color Matched Caulk, 10.5 oz	Graphite worksurface matching caulk
CALK-055-109	Color Matched Caulk, 5.5 oz	Gray worksurface matching caulk
CALK-105-109	Color Matched Caulk, 10.5 oz	Gray worksurface matching caulk
CALK-055-121	Color Matched Caulk, 5.5 oz	Lunar White worksurface matching caulk
CALK-105-121	Color Matched Caulk, 10.5 oz	Lunar White worksurface matching caulk
CALK-055-112	Color Matched Caulk, 5.5 oz	Tan worksurface matching caulk
CALK-105-112	Color Matched Caulk, 10.5 oz	Tan worksurface matching caulk
CALK-055-118	Color Matched Caulk, 5.5 oz	Dark Khaki worksurface matching caulk
CALK-105-118	Color Matched Caulk, 10.5 oz	Dark Khaki worksurface matching caulk
CALK-055-103	Color Matched Caulk, 5.5 oz	Pearl worksurface matching caulk
CALK-105-103	Color Matched Caulk, 10.5 oz	Pearl worksurface matching caulk

\*Custom colors available upon request

